M

	Application No.	Applicant(s)
Notice of Allowability	10/664,466	GSELL, GEORGE V.
	Examiner	Art Unit
	Fred Prince	1724
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>May 4, 2005</u> .		
2. The allowed claim(s) is/are 16 (renumbered as 1).		
3. The drawings filed on 30 October 2003 are accepted by the Examiner.		
<ul> <li>4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the: <ol> <li>Certified copies of the priority documents have been received.</li> <li>Certified copies of the priority documents have been received in Application No.</li> <li>Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements</li> </ul>		
noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF		
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.  6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
ldentifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. □ Notice of References Cited (PTO-892)	5 ☐ Notice of Informal P	atent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	''' '
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08  Paper No./Mail Date	Paper No./Mail Date	ė .
4. Examiner's Comment Regarding Requirement for Deposit	8. 🗌 Examiner's Stateme	nt of Reasons for Allowance
of Biological Material	9. Other	FRED G. PRINCE RIMARY EXAMINED

Application/Control Number: 10/664,466

Art Unit: 1724

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows: Claims 1-5 have been cancelled.

2. The following is an examiner's statement of reasons for allowance:

US Pat No 5,695,643 to Brandt et al. discloses a method of treating water including steps filtering a chlorinated feed water in chlorine-tolerant filter having the recited pore size, distilling and anti-scale treating the water, and further discloses that the water produced is suitable for drinking and irrigation (col. 8, lines 40-52). In the examiner's opinion, the prior art fails to teach or fairly suggest the additional step of flowing the water to produce USP or water for injection.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Fred Prince whose telephone number is (571) 272-

Application/Control Number: 10/664,466

Art Unit: 1724

1165. The examiner can normally be reached on Monday-Thursday, 6:30-4:00; alt.

Fridays 6:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Duane Smith can be reached on (571) 272-1166. The fax phone number for

the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

**Primary Examiner** 

Page 3

Art Unit 1724

fgp 5/16/05